




# PHEROMONE SPRAYS



## BoarScent

### Pheromone spray for sows and gilts

Deficient oestrus detection is the most important cause of infertility in breeding herds. Typically, sows are checked for oestrus once a day and gilts twice a day. Oestrus detection can be improved by observing sow behavior while the boar is given direct contact with the sow.

However, sows and gilts will become fatigued and refractory to boar in less than an hour even if they are in heat. This is due in part to the extreme exertion (isometric contraction) associated with standing heat. Thus, the best oestrus detection systems do not allow constant boar contact.

The use of BoarScent will help in determining the onset of oestrus in the absence of a „teaser“ boar.

#### Your Benefits

- Eases identification of oestrus in sows and gilts with or without the presence of a boar
- Helps to stimulate sows during AI
- Daily treatment after weaning can reduce number of days to next oestrus
- Water-based, non-pressurized aerosol and free of organic solvents
- Easy to use spray bottle for up to 88 applications

#### Application

Apply two sprays to the snout of the sow or gilt. Sows and gilts that are in the window of oestrus will show the lordosis effect, commonly known as the mating stance. These sows and gilts can then be herded away for mating.

**BoarScent, 35 ml**

REF.: [17115/9051](#)





## StimuBoar

### Pheromone spray for boars

StimuBoar is a boar training aid and assists with the training of boars on a phantom. The spray is applied to the boar's snout and directly to the dummy when training a young boar. The spray can also help to stimulate old boars to mount the dummy quicker.

#### Your Benefits

- Increases excitation and attentiveness of the boar
- Shortens time needed for training new boars
- Increases boar efficiency and semen production
- Water-based, non-pressurized aerosol and free of organic solvents
- Easy to use spray bottle for up to 88 applications

#### Application

##### Training of naïve boars:

Hold the bottle 6-10 cm from the snout of the boar and spray at least two times. If necessary spray the dummy sow twice. The naïve boar will mount the dummy sow and often, manual stimulation is not necessary. Collect semen in the usual fashion.

##### Training of older boars:

Spray at least two times directly at the snout of the boar from a distance of 6-10 cm. Older boars will become eager for mating and this will result in a more efficient boar for breeders and semen collection.

**StimuBoar, 35 ml**

REF.: [17115/9005](#)

